

Maxforce

Homepage


Notes:

Roach control has never been easier.


The Maxforce system provides ease and flexibility with multiple bait options for each stage of roach control.

Get Started

Jump to these sections for helpful information on roach control:







Baiting Basics

Maxforce Products

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle


Fri Jan 25 2013

Success With Integrated Pest Management

Cockroach Identification & Behavior

Inspection, Monitoring & Non-chemical Management

1



Clean Out 1

Notes:

Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle

Fri Jan 25 2013

2

For clean outs, your primary tool is Maxforce FC Magnum Roach Killer Bait Gel.

No other bait gel works this fast. The formula is Simply Irresistible™ even to bait-averse German cockroaches as well as large roach species. Overall, it's the most effective roach bait available.

Innovative ContactX™ technology – roaches that simply touch the bait will die, so consumption is not necessary

Same-day results


10 percent more bait per reservoir

Better secondary kill with the exclusive Domino Effect® - the delayed action kill allows roaches to take bait back to the colony


Powerful spot, crack and crevice treatment for indoor and outdoor areas, including commercial kitchens

A less intrusive and more convenient solution for customers

Residual that lasts up to one year or until bait is consumed



Maxforce FC Magnum Roach Killer Bait Gel



Clean Out Video




Backed By Bayer Maxforce iBrochure WFv2.graffle











Maintenance 1

Notes:

Luckie

Backed By Bayer Maxforce iBrochure WFv2.graffle

For routine maintenance, your first choice is Maxforce FC Select Roach Killer Bait Gel.


This product is ideal because it retains moisture and stays attractive, while remaining stable over a wide temperature range. You'll see results even where sanitation is poor and other food is available. The formula is Simply Irresistible™ even to bait-averse German cockroaches as well as large roach species.

Better secondary kill with the exclusive Domino Effect®- the delayed action kill allows roaches to take bait back to the colony


Powerful spot, crack and crevice treatment for indoor and outdoor areas, including commercial kitchens

A less intrusive and more convenient treatment for customers

Residual that lasts up to one year or until bait is consumed



Maxforce FC Select Roach Killer Bait Gel



Maintenance Video



Backed By Bayer Maxforce iBrochure WFv2.graffle







Note

Product Image

Lorem ipsum dolor sit amet consectetur.

For environments that are difficult to service or where gel baits are exposed to dust, moisture or hot, dry conditions, use Maxforce FC Roach Killer Bait Stations made with fipronil.

Our roach stations have offered effective control in sensitive environments for more than 25 years.

Better secondary kill with the exclusive Domino Effect®- the delayed action kill allows roaches to take bait back to the colony

Residual that lasts up to one year or until bait is consumed

Easy application with peel-and-stick adhesive

Easy monitoring - the transparent red lid allows you to see bait consumption

Child resistant stations thanks to our exclusive design

Individual packages in a resealable bag

Luckie

Backed By Bayer Maxforce iBrochure WFv2.graffle





Maxforce Bayer Logo Rotation

Rotation 1

Notes:

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle

Fri Jan 25 2013

1

■ Rotation: 1 of 3



The Maxforce Roach Control System provides a formulation that enables you to rotate your gel bait products and ensure long-term effectiveness and customer satisfaction.


The maintenance rotation option begins with Maxforce Roach Killer Bait Gel made with hydramethylnon, which has a field-proven efficacy history of more than 25 years.

Better secondary kill with the exclusive Domino Effect® – the delayed action kill allows roaches to take bait back to the colony


Powerful spot, crack and crevice treatment for indoor and outdoor use

A less intrusive, more convenient solution for customers

Residual that lasts up to one year or until bait is consumed



Maxforce Roach Killer Bait Gel with hydramethylnon




Maintenance Video

Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle



Note



Lorem ipsum dolor sit amet consectetur.

If your rotation requires a cockroach bait station, Maxforce Roach Killer Small Bait Stations made with hydramethylnon will deliver.

Great for continued control of cockroaches at all stages of development, our roach stations have offered effective control in sensitive environments for more than 25 years.

Better secondary kill with the exclusive Domino Effect® – the delayed action kill allows roaches to take bait back to the colony

Residual that lasts up to one year or until bait is consumed

Easy application with peel-and-stick adhesive

Easy monitoring - the transparent red lid allows you to see bait consumption


Child resistant stations thanks to our exclusive design

Individual packages in a resealable bag

Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle





Maxforce

Success With Integrated Pest Management 1

Notes

Success With Integrated Pest Management

Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle












What is Integrated Pest Management?

Integrated Pest Management or IPM is an effective and environmentally sensitive approach that relies on common sense practices to effectively manage pests economically with the least possible hazard to people, property and the environment.

IPM includes non-chemical and chemical control methods that best fit the residential or commercial environment.

IPM is critical to preventing future infestations, ensuring customer satisfaction and building your business and reputation.



Lorem ipsum dolor sit amet consectetur.



Backed By Bayer Maxforce iBrochure WFv2.graffle







There are five steps for success with IPM.

Inspection

Identification


Recommendation & Customer Education

Treatment


Evaluation

Related Image


Lorem ipsum dolor sit amet, consectetur adipiscing elit.




Lorem ipsum dolor sit amet, consectetur adipiscing elit.



Lorem ipsum dolor sit amet, consectetur adipiscing elit.



Lorem ipsum dolor sit amet, consectetur adipiscing elit.



Lorem ipsum dolor sit amet, consectetur adipiscing elit.


Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle



Ready to commit to an integrated pest management program?

Follow the basic IPM model.



IPM will always work if you commit and follow the model like a road map. Do not move to the next step until you have exhausted all possibilities of the current step you're working on.


Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle









Maxforce

Cockroach Identification & Behavior 1

Notes

Cockroach Identification & Behavior

Luckie

Backed By Bayer Maxforce iBrochure WFv2.graffle





Cockroach Identification & Behavior


Cockroach Identification & Behavior 2

Notes:


Cockroach Identification Guide

This information will help you identify six common cockroach species; saving you time and helping you do the best job possible.

German Cockroach








Egg Case

Nymph

Egg Case

Nymph


Australian Cockroach













Smokybrown Cockroach



Brownbanded Cockroach



Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle







Cockroach Behavior

A crucial part of integrated pest management is learning how roaches behave. Knowing their habits means knowing how to control them.

Keep these behaviors in mind when developing a cockroach treatment plan:

Cockroaches are secretive insects that spend most of their time in harborage sites, such as cracks and crevices or enclosed voids.

They utilize harborages where fecal material from other roaches emits aggregation pheromone.

Roaches require warm, high humidity microenvironments.

They travel short distances to forage for food and water.

They follow edges and structural lines.

Some roach species, such as American and Oriental cockroaches, may live outdoors.

Roaches have high rates of reproduction – German cockroaches have the highest rate of reproduction of any structure-infesting roach. Female German cockroaches have 4-5 egg capsules and can carry 30-40 eggs per capsule. The period from egg to adult is 35-120 days.

Roaches develop feeding aversion to the food in baits, not to the active ingredient – this aversion is passed on to offspring.

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle









Bayer Logo

Maxforce

Inspection, Monitoring and Nonchemical Management 1

Inspection, Monitoring & Non-chemical Management

Luckie^{*}

Backed By Bayer Maxforce iBrochure WFv2.graffle











Inspection,
Monitoring and Nonchemical
Management 2

Note

Inspection, monitoring and non-chemical management are important to the success of an integrated pest management program, and are a significant portion of the service customers purchase.

Remember these tried and true practices for best results.

Have the proper inspection tools:

Service report checklist

Monitors

Step ladder

Flashlight

Gloves

Clipboard


Knee pads

Glass jars with lids

Screwdriver

Multi-purpose pliers

Mirror



Lorem ipsum dolor sit amet consectetur.

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle







Inspection,
Monitoring and Nonchemical
Management 3

Note

Follow the proper monitoring process:


Install correct monitor

Install sufficient number of monitors

Map locations of monitors

Maintain monitor date and labels

Recover monitors with specimens for ID and verification and replace



Lorem ipsum dolor sit amet consectetur.



Backed By Bayer Maxforce iBrochure WFv2.graffle







Inspection,
Monitoring and Nonchemical
Management 4

Note


Look for other signs of cockroaches:

Fecal matter and oral secretions

Egg cases

Cast skins

Carcasses



Lorem ipsum dolor sit amet consectetur.

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle







Inspection, Monitoring and Nonchemical Management 5

Note

Scan the residential or commercial area, assessing:

Sanitation

Debris


Food competition

Technician access

Water management

Structural repairs and upkeep

Outdoor conditions



Lorem ipsum dolor sit amet consectetur.

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle









Perform the proper tasks for non-chemical management:


Seal cracks to eliminate entry points

Trim trees and shrubbery away from structures

Ensure windows, doors and screens fit tightly and install weather stripping as needed

Remove debris that attracts roaches

Reduce populations with vacuum



Lorem ipsum dolor sit amet consectetur.



Backed By Bayer Maxforce iBrochure WFv2.graffle









Let the customer know they are essential to the pest management process, and can reduce harborage and food sources by:

Improving sanitation

Repairing and eliminating moisture problems


Reducing clutter

Sealing cracks and crevices

Storing food in cockroach-proof containers

Emptying trash containers frequently

Picking up pet food



Lorem ipsum dolor sit amet consectetur.



Backed By Bayer Maxforce iBrochure WFv2.graffle











Baiting Basics

Baiting Basics 1

Note

Luckie*

Backed By Bayer Maxforce iBrochure WFv2.graffle





Refer to these baiting best practices when treating residential and commercial accounts with Maxforce Roach Control System products.

Questions To Ask Before Baiting

What species am I treating?

Where are the harborage sites?


Where are the resource sites?

Are surfaces dirty or covered with grease?

Are surfaces porous?

Is the area washed regularly?

What's the temperature?



Lorem ipsum dolor sit amet consectetur.

Luckie*


Backed By Bayer Maxforce iBrochu WFv2.graffle



How To Choose a Bait

Gels provide faster control than stations and can be used in any of the three roach control stages - clean up, maintenance and rotation

Stations sustain long-term control and can be used during the maintenance and rotation stages in areas where gel may encounter non-targets or be exposed to dust, moisture or hot, dry conditions



Lorem ipsum dolor sit amet consectetur.



Backed By Bayer Maxforce iBrochure WFv2.graffle

Fri Jan 25 2013

Baiting Basics: 3 of 5





Where To Treat


Cracks and crevices

Edges and corners of walls (between where they hide and where they find food and water)

Other travel routes such as pipes, utility lines, table legs

Points of entry inside and outside structure

Apply baits in areas where infested foods enter and are stored - produce, linens, paper goods)



Lorem ipsum dolor sit amet consectetur.

Luckie**

Backed By Bayer Maxforce iBrochure WFv2.graffle









Baiting Tips

Don't spray on top of bait placements and do not place baits on top of freshly sprayed surfaces


Smaller, more frequent bait placements work better than fewer larger bait placements

For hard-to-reach areas, consider the Maxforce Sharpshooter extension, which attaches to Maxforce bait reservoirs

Apply Maxforce as close as possible to all harborage sites following label directions

Apply sufficient amount to feed entire population

During maintenance, replace bait placements if consumed or when recommended on the label



Lorem ipsum dolor sit amet consectetur.



Backed By Bayer Maxforce iBrochure WFv2.graffle







Baiting Tips

Don't spray on top of bait placements and do not place baits on top of freshly sprayed surfaces

Smaller, more frequent bait placements work better than fewer

larger ba

For hard Clean Out extension

Maintenance PD

Apply M following

Rotation PDF

Apply si

Success With Integrated Pest Management

During r recomm

Cockroach Identification & Behavior

Inspection, Monitoring and Non-chemical Management

Baiting Basics PDF

Maxforce Products

Luckie*

PDF

PDF

Backed By Bayer Maxforce iBrochure WFv2.graffle








Bayer Logo


Maxforce

Maxforce Products


Notes:

Maxforce Products




































Gun Kit





Maxforce Holster Maxforce SharpShooter with belt clip Extension

Luckie

Backed By Bayer Maxforce iBrochure WFv2.graffle

Fri Jan 25 2013







Maxforce Products: 1 of 1



